







OCHRANNÉ PROFILY (TOLERANCIE)


Farba : MODRÁ (pre Rsmini sivá)


	Typ	A (mm)	B (mm)	C (mm)	Balenie / bm
	U 15	15±2	30±3	8±1	500
U 15 na rolke	15±2	30±3	8±1	500	
U 18	18±2	36±3	9±1	350	
U 18 na rolke	18±2	36±3	9±1	350	
U 25	25±2	37±3	10±1	280	
U 35	35±2	44±3	11±1	180	
U 45	45±2	52±3	14±1	160	
U 60	60±2	64±3	14±1	100	
U 80	80±2	70±3	16±2	80	
U 100	100±2	80±3	16±2	64	
U 120	120±2	84±3	16±2	48	




	Typ	A (mm)	B (mm)	C (mm)	Balenie / bm
	L 50-50	50±2	50±2	9±1	480
L 75-75	75±3	75±3	10±2	210	

	Typ	A (mm)	B(mm)	C (mm)	Balenie / bm
	RS 25-35 kart.	34±2	26±2	14±1	400
RS 25-35 rolka	34±2	26±2	14±1	400	
RS 30-40 kart.	38±2	32±2	14±1	320	
RS 30-40 rolka	38±2	32±2	14±1	320	
RS 35-45 kart.	44±2	35±2	15±1	240	
RS 35-45 rolka	44±2	35±2	15±1	240	
RS mini kart.	25±2	31±2	11±1		


	Typ	A (mm)	B (mm)	C (mm)	Balenie / bm
	R 10-50	10±1	20±2		700
R 20-50	20±2	50±2		350	
R 50-50	50±2	52±2		150	

	Typ	A (mm)	B (mm)	C (mm)	Balenie / bm
	W 50-50	52±2	52±2	22±2	200
W 60-60	62±3	62±3	32±3	140	
W 80-80	80±3	80±3	40±3	70	
W 100-100	100±3	100±3	50±3	48	

	Typ	A (mm)	B (mm)	C (mm)	Balenie / bm
	OP 30	30±2			320
OP 40	40±2,5			240	
OP 50	50±3			160	
OP 70	70±5			80	




ABRICORNER C



Priemer A, (mm)	Hrúbka B, (mm)	Balenie/ ks, kartón
70±5	10±1	3 100
100±7	12±1	1 300

ABRICORNER (ROHOVNÍK)



Typ	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	bm/ balenie
U 15 100x100	15±2	30±2	8±1	100±5	100±5	900
U 18 100x100	18±2	36±2	9±1	100±5	100±5	400
U 25 100x100	25±2	37±2	10±1	100±5	100±5	600
U 35 100x100	35±2	44±2	11±1	100±5	100±5	400
U 45 100x100	45±2	52±2	14±1	100±5	100±5	300
U 60 100x100	60±2	64±2	14±1	100±5	100±5	200
U 80 100x100	80±2	70±2	16±1	100±5	100±5	160
RS 25-35 100x100	34±2	26±2	14±1	100±5	100±5	750

